

SUNSTONE ENGINEERING
HAND PIECES & ACCESSORIES



PASP HP CP

Pressure Actuated Single Probe Hand Piece: Weld is pressure actuated for quick and consistent results. Includes one 0.125" copper electrode and alligator style ground cable. Requires connection to welding power supply for weld actuation.

PART: PASP HP CP



PASP HP MAG & PASP HP RING

Pressure Actuated Single Probe Hand Piece: Weld is pressure actuated for quick and consistent results. Includes one 0.125" copper electrode and a magnet style ground cable for easy connection with working on iron based metal. Requires connection to welding power supply for weld actuation.

PART: PASP HP MAG

Includes one 0.125" copper electrode and a ring terminal ground cable for simple customization.

PART: PASP HP RING



PASP HP RS

Pressure Actuated Single Probe Hand Piece: Pressure actuated for quick and consistent results. Includes one 0.250" copper electrode with wheel attachment and a alligator style ground cable for simple customization. Requires connection to welding power supply for weld actuation.

PART: PASP HP RS



SPHP

Single probe hand piece. 0.250" shaft that is tapered to smaller tip. Easy to shape for customization. Comes with alligator style ground cable.

PART: SPHP



SPHP LP

Single Probe Hand Piece - Low Power: Single .250" brass shank that accepts 1/16" interchangeable electrode (Copper or Tungsten) that is easily replaced when worn down, or for welding specialty metals. Comes with 8 AWG weld cables, copper electrode, and alligator style ground cable.

PART: SPHP LP



SPHP MP

Single Probe Hand Piece - Medium Power: Single .625" brass shank that accepts 1/8" interchangeable electrode that is easily replaced when worn down, or for welding specialty metals. Comes with 4 AWG weld cables, copper electrode, and alligator style ground cable.

PART: SPHP MP



SPHP HP

Single Probe Hand Piece – High Power: Single 7/8" brass shank that accepts 3/16" interchangeable electrode that is easily replaced when worn down, or for welding specialty metals. Comes with 1 AWG weld cables, copper electrode, and alligator style ground cable.

PART: SPHP HP



DPHP MICRO

Micro Dual Probe Hand Piece: Designed for use with DC welders. ideal for thermal compression bonding applications. Includes one TCB style electrode (MEL-TCB-FL).

PART: DPHP Micro



DPHP

Dual Probe Hand Piece. Two 0.250" copper shafts ground to smaller tip.

PART: DPHP



DPHP LP

Dual Probe Hand Piece – Low Power: Two 1/4" brass shanks that accept 1/16" interchangeable electrodes that are easily replaced when worn down, or for welding specialty metals. Comes with 8 AWG weld cables and one pair of copper electrodes.

PART: DPHP LP



DPHP MP

Dual Probe Hand Piece – Medium Power: Two 5/8" brass shanks that accept 1/8" interchangeable electrodes that are easily replaced when worn down, or for welding specialty metals. Comes with 4 AWG weld cables and one pair of copper electrodes.

PART: DPHP MP



DPHP HP

Dual Probe Hand Piece – High Power: Two 7/8" brass shanks that accept 3/16" interchangeable electrodes that are easily replaced when worn down, or for welding specialty metals. Comes with 1 AWG weld cables and one pair of copper electrodes.

PART: DPHP HP

THP-A

Tweezer Hand Piece: Basic tweezer hand piece, two angled copper shafts tapered to a point.

PART: THP-A



PG5M

Pressure-Actuated Tweezer Hand Piece

Weld is Pressure-Actuated for quick and consistent welds. Angled electrodes that can be easily machined for custom pieces. Electrodes are easily replaced when worn down, or for welding specialty metals.

PART: PG5M



THP-P

Pneumatic Tweezer Hand Piece. Used in conjunction with the ACS (air control system). Allows for precision control of the descend, hold, weld, release and return of the electrode pinch.

PART: THP-P





PTHP LP

Pressure-Actuated Tweezer Hand Piece – Low Power: Weld is Pressure-Actuated for quick and consistent welds. Accepts two 3/16" interchangeable, angled electrodes that can be easily machined for custom pieces. Electrodes are easily replaced when worn down, or for welding specialty metals. Comes with one pair of copper electrodes.

PART: PTHP LP



PTHP MP

Pressure-Actuated Tweezer Hand Piece – Medium Power: Weld is Pressure-Actuated for quick and consistent welds. Accepts two 3/16" interchangeable electrodes that can be easily replaced when worn down, or for welding specialty metals. Comes with one pair of copper electrodes.

PART: PTHP MP



PTHP HP

Pressure-Actuated Tweezer Hand Piece – High Power: Weld is Pressure-Actuated for quick and consistent welds. Accepts two 3/16" interchangeable electrodes that can be easily replaced when worn down, or for welding specialty metals. Comes with one pair of copper electrodes.

PART: PTHP HP